



Jodie & Warren Woroniecki
7075 28th St.
Hebron, ND 58638
701-878-4088

Check us out online at----
www.WoronieckiRanchQuarterHorses.com
Or email, call or stop by the ranch.
woronieckiranch@westriv.com

5 Panel Information as it Pertains to Woroniecki Ranch Quarter Horses

At Woroniecki Ranch Quarter Horses we order a genetic kit through AQHA and the results are sent to VGL laboratory of the School of Veterinary Medicine at the University of California, Davis. VGL is internationally recognized as a pioneer and expert in DNA-based animal testing. The effects of these equine diseases are wide-ranging, from mild and manageable to severe and terminal. We have compiled a short description of each disorder tested. **In many instances we only test the necessary specific test based upon the parents test results. If both parents are N/N on all or some diseases then the offspring is also N/N on those diseases by default. Please see ALL PAGES of this document link.**

Glycogen Branching Enzyme Deficiency (GBED) doesn't allow a foal to store enough sugar in its cells for energy, function of the brain, heart and skeletal muscles. Most die within couple weeks of age, but none have been known to survive more than 2 months of age. These foals are often still born. GBED is a recessive trait and only horses that inherit both recessive genes from each parent (G/G) will be afflicted. **Carriers (N/G) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/G) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.**

Hereditary Equine Regional Dermal Asthenia (HERDA) causes the skin on a horse's back to literally peel away. The skin will slough becoming loose and tented to never return to its original position. HERDA is a recessive trait and only horses that inherit both recessive genes from each parent (HDR/HDR) will be afflicted. **Carriers (N/HDR) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/HDR) it is highly advised to not breed to another carrier to avoid producing afflicted offspring**

Hyperkalemic Periodic Paralysis (HYPP) is a muscle condition that leads to weak muscles or severe twitching of the muscles. In most cases symptoms include tremors, weakness, cramping, sweating and inability to relax. In severe cases horse can collapse from a heart attack or respiratory failure and die. **HYPP is a dominant trait and carriers (N/H) will be afflicted, but can be managed with careful nutritional care. It is highly recommended NOT to breed a carrier.**

Malignant Hyperthermia (MH) is a rare but deadly disorder triggered by the use of anesthesia, muscle relaxant succinylcholine and stress. The horse will often experience high heart rate along with rapid breathing and extreme fever. This can also lead to death in some cases. Some horses are also a carrier of PSSM along with MH. **MH is a dominant trait and carriers will be afflicted if undergoing surgery or extreme stress. It is highly recommended NOT to breed a carrier.**

Polysaccharide Storage Myopathy (PSSM1) is when the muscles store too much glycogen causing muscle stiffness and muscle tying up. Most horses experience pain with strenuous exercise. **PSSM1 is a dominant trait but carriers (N/PSSM1) can be managed with proper diet and exercise. It is highly recommended NOT to breed a carrier.**

Khan Bartender JW (AQHA)
2019 Bay Roan Stallion

All NN by parentage. Parents' tests included.

GBED Status N/N
HERDA Status N/N
HYPP Status N/N
MH Status N/N
PSSM1 Status N/N

UNIVERSITY OF CALIFORNIA, DAVIS

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



SANTA BARBARA • SANTA CRUZ

VETERINARY GENETICS LABORATORY
SCHOOL OF VETERINARY MEDICINE
ONE SHIELDS AVENUE
DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211
FAX: (530) 752-3556

AQHA GENETIC DISEASE PANEL TEST RESULTS

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001	Case: QHA168729 Date Received: 04-Dec-2014 Print Date: 08-Dec-2014 Report ID: 0461-4992-5772-4006 Verify report at www.vgl.ucdavis.edu/myvgl/verify.html
Horse: JACKS OUR BARTENDER YOB: 2003 Breed: QH Sex: S Alt. ID: 5198859	Reg: 4425254
Sire: BARTENDERS MEMORY Dam: WATCH MISS JO JACKIE	Reg: 3736501 Reg: 3301428

GBED	N/N	N/N - Normal - Does not possess the disease-causing GBED gene
HERDA	N/N	N/N - Normal - horse does not have the HERDA gene
HYPP	N/N	N/N - Normal - Does not possess the disease-causing HYPP gene
MH	N/N	N/N - Normal - horse does not have the MH gene
PSSM1	N/N	N/N - Normal - horse does not have the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota.
 HERDA testing performed under a license agreement with the University of California, Davis.
 PSSM1 testing performed under a license agreement with the American Quarter Horse Association.



Jodie & Warren Woroniecki
7075 28th St.
Hebron, ND 58638
701-878-4088

Check us out online at---
www.WoronieckiRanchQuarterHorses.com
Or email, call or stop by the ranch.
woronieckiranch@westriv.com

5 Panel Information as it Pertains to Woroniecki Ranch Quarter Horses

At Woroniecki Ranch Quarter Horses we order a genetic kit through AQHA and the results are sent to VGL laboratory of the School of Veterinary Medicine at the University of California, Davis. VGL is internationally recognized as a pioneer and expert in DNA-based animal testing. The effects of these equine diseases are wide-ranging, from mild and manageable to severe and terminal. We have compiled a short description of each disorder tested. **In many instances we only test the necessary specific test based upon the parents test results. If both parents are N/N on all or some diseases then the offspring is also N/N on those diseases by default. Please see ALL PAGES of this document link.**

Glycogen Branching Enzyme Deficiency (GBED) doesn't allow a foal to store enough sugar in its cells for energy, function of the brain, heart and skeletal muscles. Most die within couple weeks of age, but none have been known to survive more than 2 months of age. These foals are often still born. GBED is a recessive trait and only horses that inherit both recessive genes from each parent (G/G) will be afflicted. **Carriers (N/G) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/G) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.**

Hereditary Equine Regional Dermal Asthenia (HERDA) causes the skin on a horse's back to literally peel away. The skin will slough becoming loose and tented to never return to its original position. HERDA is a recessive trait and only horses that inherit both recessive genes from each parent (HDR/HDR) will be afflicted. **Carries (N/HDR) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/HDR) it is highly advised to not breed to another carrier to avoid producing afflicted offspring**

Hyperkalemic Periodic Paralysis (HYPP) is a muscle condition that leads to weak muscles or severe twitching of the muscles. In most cases symptoms include tremors, weakness, cramping, sweating and inability to relax. In severe cases horse can collapse from a heart attack or respiratory failure and die. **HYPP is a dominant trait and carriers (N/H) will be afflicted, but can be managed with careful nutritional care. It is highly recommended NOT to breed a carrier.**

Malignant Hyperthermia (MH) is a rare but deadly disorder triggered by the use of anesthesia, muscle relaxant succinylcholine and stress. The horse will often experience high heart rate along with rapid breathing and extreme fever. This can also lead to death in some cases. Some horses are also a carrier of PSSM along with MH. **MH is a dominant trait and carriers will be afflicted if undergoing surgery or extreme stress. It is highly recommended NOT to breed a carrier.**

Polysaccharide Storage Myopathy (PSSM1) is when the muscles store too much glycogen causing muscle stiffness and muscle tying up. Most horses experience pain with strenuous exercise. **PSSM1 is a dominant trait but carriers (N/PSSM1) can be managed with proper diet and exercise. It is highly recommended NOT to breed a carrier.**

Whiskey Up Roan JW	(AQHA)
2015 Bay Roan Mare	
GBED Status	N/N
HERDA Status	N/N
HYPP Status	N/N
MH Status	N/N
PSSM1 Status	N/N

UNIVERSITY OF CALIFORNIA, DAVIS

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



SANTA BARBARA • SANTA CRUZ

VETERINARY GENETICS LABORATORY
SCHOOL OF VETERINARY MEDICINE
ONE SHIELDS AVENUE
DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211
FAX: (530) 752-3556

AQHA GENETIC DISEASE PANEL TEST RESULTS

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001	Case: QHA192968 Date Received: 11-May-2015 Print Date: 15-May-2015 Report ID: 0187-9866-2321-9024 Verify report at www.vgl.ucdavis.edu/myvgl/verify.html
Horse: WHOOP UP WHISKEY Reg: 5359075 YOB: 2010 Sex: Stallion Breed: Quarter Horse Ait. ID: 6281311	
Sire: PADDYS IRISH WHISKEY Reg: 2983308 Dam: MY LITTLE SUGAR BABE Reg: 3179872	

GBED	N/G	N/G - Carrier - Heterozygous (one normal and one GBED gene)
HERDA	N/N	N/N - Normal - horse does not have the HERDA gene
HYPP	N/N	N/N - Normal - Does not possess the disease-causing HYPP gene
MH	N/N	N/N - Normal - horse does not have the MH gene
PSSM1	N/N	N/N - Normal - horse does not have the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota.
 HERDA testing performed under a license agreement with the University of California, Davis.
 PSSM1 testing performed under a license agreement with the American Quarter Horse Association.

UNIVERSITY OF CALIFORNIA, DAVIS

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



SANTA BARBARA • SANTA CRUZ

VETERINARY GENETICS LABORATORY
 SCHOOL OF VETERINARY MEDICINE
 ONE SHIELDS AVENUE
 DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211
 FAX: (530) 752-3556

AQHA GENETIC DISEASE PANEL TEST RESULTS

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001	Case: QHA207916 Date Received: 11-Sep-2015 Print Date: 15-Sep-2015 Report ID: 0158-5410-5943-5102 Verify report at www.vgl.ucdavis.edu/myvgl/verify.html
Horse: FANCY ROAN BELLE YOB: 1995 Sex: <i>Mare</i> Breed: <i>Quarter Horse</i> Alt. ID: 3984718	Reg: 3426496
Sire: ROAN BAR DANDY Dam: CAKE AND CREAM	Reg: 1947999 Reg: 1545771

GBED	N/N	N/N - Normal - Does not possess the disease-causing GBED gene
HERDA	N/N	N/N - Normal - horse does not have the HERDA gene
HYPP	N/N	N/N - Normal - Does not possess the disease-causing HYPP gene
MH	N/N	N/N - Normal - horse does not have the MH gene
PSSM1	N/N	N/N - Normal - horse does not have the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota.
 HERDA testing performed under a license agreement with the University of California, Davis.
 PSSM1 testing performed under a license agreement with the American Quarter Horse Association.

UNIVERSITY OF CALIFORNIA, DAVIS

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



SANTA BARBARA • SANTA CRUZ

VETERINARY GENETICS LABORATORY
SCHOOL OF VETERINARY MEDICINE
ONE SHIELDS AVENUE
DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211
FAX: (530) 752-3556

GBED REPORT

<p>JODIE WORONIECKI 7075 28TH ST. HEBRON, ND 58638</p>	<p>Case: NQ27178 Date: 28-Sep-2015 Print Date: 04-Oct-2015 Report ID: 8162-8611-0254-4002 Verify report at www.vgl.ucdavis.edu/myvgl/verify.html</p>
<p><i>Horse:</i> WHISKEY UP ROAN JW <i>Reg:</i> AQHA Pending <i>DOB:</i> 08/12/2015 <i>Sex:</i> Mare <i>Breed:</i> Quarter Horse <i>Alt. ID:</i></p>	
<p><i>Sire:</i> WHOOUP UP WHISKEY <i>Reg:</i> 5359075 <i>Dam:</i> FANCY ROAN BELLE <i>Reg:</i> 3426496</p>	

GBED Test Result

N/N

Result Codes:

- G/G Affected - Homozygous for GBED (two copies of the GBED gene).
- N/G Carrier - Heterozygous (one normal and one GBED gene).
- N/N Normal - Does not possess the disease-causing GBED gene.

The condition is inherited as a recessive trait. This means that breedings between two carrier (N/G) horses have a 25% chance of producing an affected foal (G/G). Affected foals usually die at a young age or will need to be euthanized due to weakness. Breedings between carrier and normal (N/N) horses produce only normal foals but 50% of these are expected to be carriers.



VETERINARY GENETICS LABORATORY
 SCHOOL OF VETERINARY MEDICINE
 ONE SHIELDS AVENUE
 DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211
 FAX: (530) 752-3556

HORSE COAT COLOR / PATTERN TEST RESULTS

JODIE WORONIECKI 7075 28TH ST. HEBRON, ND 58638	Case: NQ51010 Date Received: 17-Jun-2019 Print Date: 20-Jun-2019 Report ID: 8069-8764-9324-4020 Verify report at www.vgl.ucdavis.edu/myvgl/verify.htm
Horse: KHAN BARTENDER JW DOB: 05/20/2019 Sex: Stallion Breed: Quarter Horse	Reg: AQHA Pending
Sire: JACKS OUR BARTENDER Dam: WHISKEY UP ROAN JW	Reg: 4425254 Reg: 5695693

RED FACTOR	E/e	Both black and red factors detected.	SPLASHED WHITE		Not requested.
AGOUTI	A/A	2 copies of agouti present. If present, black pigment is restricted to the points.	TOBIANO		Not requested.
CREAM		Not requested.	LEOPARD		Not requested.
PEARL		Not requested.	PATTERN-1		Not requested.
SILVER		Not requested.	BRINDLE 1		Not requested.
DUN		Not requested.	TIGER EYE		Not requested.
CHAMPAGNE		Not requested.	MUSHROOM (SHETLAND PONY)		Not requested.
LETHAL WHITE OVERO		Not requested.	GRAY		Not requested.
SABINO 1		Not requested.	ROAN	Rn/N	1 copy of classic Roan detected.
DOMINANT WHITE (W5, W10, W20)		Not requested.			

For more detailed information on Horse Coat Color results, please visit:
www.vgl.ucdavis.edu/services/coatcolorhorse.php

Tests for Gray, Leopard/Appaloosa, Lethal White Overo and Tobiano are performed under license.