

Jodie & Warren Woroniecki 7075 28th St. Hebron, ND 58638 701-878-4088 Check us out online at---www.WoronieckiRanchQuarterHorses.com
Or email, call or stop by the ranch.
woronieckiranch@westriv.com

5 Panel Information as it Pertains to Woroniecki Ranch Quarter Horses

At Woroniecki Ranch Quarter Horses we order a genetic kit through AQHA and the results are sent to VGL laboratory of the School of Veterinary Medicine at the University of California, Davis. VGL is internationally recognized as a pioneer and expert in DNA-based animal testing. The effects of these equine diseases are wide-ranging, from mild and manageable to severe and terminal. We have compiled a short description of each disorder tested. In many instances we only test the necessary specific test based upon the parents test results. If both parents are N/N on all or some diseases then the offspring is also N/N on those diseases by default. Please see ALL PAGES of this document link.

Glycogen Branching Enzyme Deficiency (GBED) doesn't allow a foal to store enough sugar in its cells for energy, function of the brain, heart and skeletal muscles. Most die within couple weeks of age, but none have been known to survive more than 2 months of age. These foals are often still born. GBED is a recessive trait and only horses that inherit both recessive genes from each parent (G/G) will be afflicted. Carriers (N/G) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/G) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.

Hereditary Equine Regional Dermal Asthenia (HERDA) causes the skin on a horse's back to literally peel away. The skin will slough becoming loose and tented to never return to its original position. HERDA is a recessive trait and only horses that inherit both recessive genes from each parent (HDR/HDR) will be afflicted. Carries (N/HDR) and non-carries (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/HDR) it is highly advised to not breed to another carrier to avoid producing afflicted offspring

Hyperkalemic Periodic Paralysis (HYPP) is a muscle condition that leads to weak muscles or severe twitching of the muscles. In most cases symptoms include tremors, weakness, cramping, sweating and inability to relax. In severe cases horse can collapse from a heart attack or respiratory failure and die. HYPP is a dominant trait and carriers (N/H) will be afflicted, but can be managed with careful nutritional care. It is highly recommended NOT to breed a carrier.

Malignant Hyperthermia (MH) is a rare but deadly disorder triggered by the use of anesthesia, muscle relaxant succinylcholine and stress. The horse will often experience high heart rate along with rapid breathing and extreme fever. This can also lead to death in some cases. Some horses are also a carrier of PSSM along with MH. MH is a dominant trait and carriers will be afflicted if undergoing surgery or extreme stress. It is highly recommended NOT to breed a carrier.

Polysaccharide Storage Myopathy (PSSM1) is when the muscles store too much glycogen causing muscle stiffness and muscle tying up. Most horses experience pain with strenuous exercise. PSSM1 is a dominant trait but carriers (N/PSSM1) can be managed with proper diet and exercise. It is highly recommended NOT to breed a carrier.

Abilene Barten	der JW	(AQHA)
GBED Status	N/N	
HERDA Status	N/N	
HYPP Status	N/N	
MH Status	N/N	
IMM Status	N/N	
PSSM1 Status	N/P1	

UNIVERSITY OF CALIFORNIA, DAVIS

BERKELEY . DAVIS . IRVINE . LOS ANGELES . MERCED . RIVERSIDE . SAN DIEGO . SAN FRANCISCO

VETERINARY GENETICS LABORATORY SCHOOL OF VETERINARY MEDICINE ONE SHIELDS AVENUE DAVIS, CALIFORNIA 95616-8744



SANTA BARBARA · SANTA CRUZ

TELEPHONE: (530) 752-2211 FAX: (530) 752-3556

AQHA GENETIC DISEASE PANEL TEST RESULTS

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001

Case:

QHA168729

Date Received:

04-Dec-2014

Print Date:

Reg: 4425254

08-Dec-2014

Report ID:

0461-4992-5772-4006

Verify report at www.vgl.ucdavis.edu/myvgl/verify.html

Horse: JACKS OUR BARTENDER

YOB: 2003

Breed: QH

Sex: S

Alt. ID:5198859

Sire: BARTENDERS MEMORY

Reg: 3736501

Dam: WATCH MISS JO JACKIE

Reg: 3301428

GBED	N/N	N/N - Normal - Does not possess the disease-causing GBED gene
HERDA	N/N	N/N - Normal - horse does not have the HERDA gene
НҮРР	N/N	N/N - Normal - Does not possess the disease-causing HYPP gene
МН	N/N	N/N - Normal - horse does not have the MH gene
PSSM1	N/N	N/N - Normal - herse does not have the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age, Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), dopolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota.

HERDA testing performed under a license agreement with the University of California, Davis.

PSSM1 testing performed under a license agreement with the American Quarter Horse Association.

UNIVERSITY OF CALIFORNIA, DAVIS

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



SANTA BARBARA · SANTA CRUZ

VETERINARY GENETICS LABORATORY SCHOOL OF VETERINARY MEDICINE ONE SHIELDS AVENUE DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211 FAX: (530) 752-3556

AQHA GENETIC DISEASE PANEL TEST RESULTS

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001

Case:

QHA214020

Date Received:

26-Oct-2015

Print Date:

28-Oct-2015

Report ID:

rt ID: 7747-2711-3821-2051
Verify report at www.vgl.ucdavis.edu/myvgl/verify.html

Horse: BUENO MACY REED JW

Reg: 5308558

YOB: 2010 Sex: Mare Breed: Quarter Horse Alt. ID: 6233546

Sire: JK JAY REED

Reg: 3516678

N/N

N/N

Dam: BLONDY BUENO

Reg: 4599869

HEDDA N/N

 $\ensuremath{\mathrm{N/N}}$ - Normal - Does not possess the disease-causing GBED gene

HERDA N/N

N/N - Normal - horse does not have the HERDA gene

N/N - Normal - Does not possess the disease-causing HYPP gene

MH N/N

N/N - Normal - horse does not have the MH gene

PSSM1

GBED

HYPP

N/PSSM1

N/PSSM1 - Affected - horse has one copy of the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota.

HERDA testing performed under a license agreement with the University of California, Davis.

PSSM1 testing performed under a license agreement with the American Quarter Horse Association.



3382 Capital Circle NE Tallahassee, FL 32308

Equine Genetic Testing Report

Submitted By

Jodie & Warren Woroniecki Woroniecki Ranch Quarter Horses 7075 28th St Hebron, ND 58638



Subject Horse

Horse Name: Abilene Bartender JW

Breed: Quarter Horse Phenotype: Palomino Sex: Filly Date Received: 6/3/2020

Generated On: 6/9/2020

Lab Reference #: 00138771 Registration: Pending Birth: 2020

Sire

Sire Name: Jacks Our Bartender

Breed: Quarter Horse Registration: 4425254 Phenotype: Bay Roan

Dam

Dam Name: Bueno Macy Reed JW

Breed: Quarter Horse Registration: 5308558 Phenotype: Smoky Black

Genetic Disorders

Coat Color and Pattern Testing					
Tobiano	Not Tested				
Frame Overo	Not Tested				
Sabino 1	Not Tested				
Splashed White 1	Not Tested				
Splashed White 2	Not Tested				
Splashed White 3	Not Tested				
Appaloosa (LP)	Not Tested				
PATN1	Not Tested				
Red/Black Factor	Not Tested				
Agouti	Not Tested				
Cream Dilution	Not Tested				
Dun Dilution	Not Tested				
Silver Dilution	Not Tested				
Champagne	Not Tested				
Pearl Dilution	Not Tested				
Gray	Not Tested				
	-				

X	HYPP	n/n	Clear: Negative for the HYPP gene mutation.			
X	HERDA	N/N	Clear: Negative for the HERDA gene mutation.			
Х	GBED	N/N	Clear: Negative for the GBED gene mutation. Clear: Negative for the MH gene mutation found in Quarter horses and related breeds. Horse tested negative for the mutation associated with IMM.			
Х	MH	n/n				
X	IMM	N/N				
X	PSSM 1	n/P1	Heterozygous: Horse carries one copy of the PSSM Type 1 gene mutation and is affected.			
	FIS		Not Tested			
	JEB1		Not Tested			
	JEB2		Not Tested			
	CA		Not Tested			
	LFS		Not Tested			
-	SCID		Not Tested			
-	OAAM1		Not Tested			
	WFFS1		Not Tested			

Additional Comments

None

Genetic I	ot Tested					
AHT4	AHT5	ASB17	ASB2	ASB23	AME	CA425UK
- HMS3	HMS6	HMS7	HTG10	HTG4	LEX3	LEX33
VHL20	- UM011	HMS1	HMS2	HTG6	HTG7	