



Jodie & Warren Woronecki
7075 28th St.
Hebron, ND 58638
701-878-4088

Check us out online at-----
www.WoroneckiRanchQuarterHorses.com
Or email, call or stop by the ranch
woroneckiranch@westriv.com

7 Identified Diseases Information as it Pertains to Woronecki Ranch Quarter Horses

At Woronecki Ranch Quarter Horses we take an ethical response to any genetic diseases as they are identified. AQHA previously had a 5-panel test requirement for breeding stallions since 2015. Two more diseases have been identified and AQHA has now required a 6-panel test. A 7th disease has been identified and could soon be added to the panel. We, as well as many other breeders, have decided to test for that (EJSCA). We also know that there could be many more diseases yet to be discovered. We order our tests through the VGL laboratory of the School of Veterinary Medicine at the University of California, Davis and provide those results to AQHA and buyers. VGL is internationally recognized as a pioneer and expert in DNA-based animal testing. The effects of these equine diseases are wide-ranging, from mild and manageable to severe and terminal. We have compiled a short description of each disorder tested. **In many instances we only test the necessary specific test based upon the parents' test results. If both parents are N/N on all or some diseases then the offspring is also N/N on those diseases by default. Please see ALL PAGES of this document link.**

Glycogen Branching Enzyme Deficiency (GBED) is a fatal genetic disorder that results from the inability to correctly store glycogen in several organs of the body. Most die within couple weeks of age, but none have been known to survive more than 2 months of age. These foals are often still born. **GBED is a recessive trait and only horses that inherit both recessive genes from each parent (G/G) will be afflicted. Carriers (N/G) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all, and they will be able to perform all performance activities. If you decide to breed a carrier (N/G) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.**

Hereditary Equine Regional Dermal Asthenia (HERDA) is an inherited skin condition primarily found in Quarter Horses that is characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. **HERDA is a recessive trait and only horses that inherit both recessive genes from each parent (HRD/HRD) will be afflicted. Carriers (N/HRD) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all, and they will be able to perform all performance activities. If you decide to breed a carrier (N/HRD) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.**

Hyperkalemic Periodic Paralysis (HYPP) is an inherited disease of the muscles primarily found in Quarter Horses which is characterized by sporadic episodes of muscle tremors or paralysis. **HYPP is a dominant trait and carriers (N/H) will be afflicted but can be managed with careful nutritional care. It is highly recommended NOT to breed a carrier.**

Formerly known as IMM, Myosin-heavy chain myopathy (MYHM) is a muscle disease in Quarter Horses and related breeds that results in two distinct clinical disease presentations. The first presentation is called immune-mediated myositis or IMM and it is characterized by episodes of severe muscle atrophy following an autoimmune event. The second is severe muscle pain and damage termed non-exertional rhabdomyolysis or "tying-up" that is not associated with exercise and may or may not have muscle atrophy. **MYHM is a codominant trait and carriers (N/My) may develop a myosin-heavy chain myopathy. Horses with (My/My) may develop a more severe form of a myosin-heavy chain myopathy. It is highly recommended NOT to breed a carrier.** After consulting with veterinarians and experts in breeding who deem this disorder to not be as severe or common as HYPP or PSSM1, we have decided at this time to continue to breed certain individuals identified at WRQH. We will not breed carriers to carriers to minimize the potential. We have several aged horses that carry MYHM and have had no problems with them. If things prove differently, we will adjust at that time.

Malignant Hyperthermia (MH) is an inherited disease in which affected horses can be triggered by halogenated anesthetics, succinylcholine, stress, or excitement, which can induce a hyper-metabolic state characterized by symptoms including muscle contracture, elevated temperature, and an irregular heart rhythm. **MH is a dominant trait, and carriers (N/MH) will be afflicted if undergoing surgery or extreme stress. It is highly recommended NOT to breed a carrier.**

Polysaccharide Storage Myopathy (PSSM1) is a glycogen storage disease that results in the accumulation of abnormal complex sugars in muscle cells, which can lead to muscle pain, weakness, and reluctance to move. **PSSM1 is a dominant trait but carriers (N/PSSM1) can be managed with proper diet and exercise. It is highly recommended NOT to breed a carrier.**

Equine Juvenile Spinocerebellar Ataxia (EJSCA) is an inherited neurologic disease that causes ataxia. Affected foals develop ataxia, or incoordination, between 1 and 4 weeks of age. The disorder progresses within a few days until affected foals are unable to stand without assistance. **EJSCA is a recessive trait and only horses that inherit both recessive genes from each parent (JSA/JSA) will be afflicted. Carriers (N/JSA) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/JSA) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.**

Saruman Topsail JW (AQHA)

2025 Dun Stallion

GBED Status N/G
HERDA Status N/N
HYPP Status N/N
MYHM Status N/N
MH Status N/N
PSSM1 Status N/N
EJSCA Status N/N

Carries one copy of the GBED gene. If breeding mare, breed to NN stallions.

**GLYCOGEN BRANCHING ENZYME DEFICIENCY
 (GBED)
 TEST REPORT**

<i>Provided Information:</i>		<i>Case:</i>	NQ127183
<i>Name:</i>	SARUMAN TOPSAIL JW	<i>Date Received:</i>	23-Jul-2025
<i>Registration:</i>	AQHA PENDING	<i>Report Issue Date:</i>	28-Jul-2025
		<i>Report ID:</i>	1673-4675-0768-0191
Verify report at vgl.ucdavis.edu/verify			
<i>DOB:</i> 05/23/2025 <i>Sex:</i> Stallion <i>Breed:</i> Quarter Horse			
<i>Sire:</i>	GOLDUN TOPSAIL	<i>Dam:</i>	SAGEBRUSH DRIFT JW
<i>Reg:</i>	5857711	<i>Reg:</i>	6095862
<i>Microchip:</i>		<i>Microchip:</i>	

RESULT

INTERPRETATION

Glycogen Branching Enzyme Deficiency (GBED)	N/G
--	------------

Carrier. One copy of the GBED allele detected.

MYOSIN-HEAVY CHAIN MYOPATHY (MYHM) TEST REPORT

<p><i>Provided Information:</i></p> <p><i>Name:</i> GOLDUN TOPSAIL</p> <p><i>Registration:</i> 5857711</p>	<p><i>Case:</i> NQ122906</p> <p><i>Date Received:</i> 21-Apr-2025</p> <p><i>Report Issue Date:</i> 25-Apr-2025</p> <p><i>Report ID:</i> 2104-9134-2789-6148</p> <p style="text-align: center; font-size: small;">Verify report at vgl.ucdavis.edu/verify</p>
<p><i>DOB:</i> 05/31/2017 <i>Sex:</i> Stallion <i>Breed:</i> Quarter Horse</p>	
<p><i>Sire:</i> JAZ POCO GOLDUN BLUE</p> <p><i>Reg:</i> 3275428</p> <p><i>Microchip:</i></p>	<p><i>Dam:</i> WHIZZIN LENA</p> <p><i>Reg:</i> 3562722</p> <p><i>Microchip:</i></p>

RESULT

INTERPRETATION

Myosin-Heavy Chain Myopathy (MYHM)	N/N
---	------------

Normal. No copies of the MYHM allele detected. Horse does not have increased susceptibility for immune mediated myositis or nonexertional rhabdomyolysis caused by the MYHM allele.

EQUINE JUVENILE SPINOCEREBELLAR ATAXIA TEST REPORT

<p><i>Provided Information:</i></p> <p><i>Name:</i> GOLDUN TOPSAIL</p> <p><i>Registration:</i> 5857711</p>	<p><i>Case:</i> NQ122906</p> <p><i>Date Received:</i> 21-Apr-2025</p> <p><i>Report Issue Date:</i> 25-Apr-2025</p> <p><i>Report ID:</i> 1548-3950-6313-8159</p> <p style="text-align: center; font-size: small;">Verify report at vgl.ucdavis.edu/verify</p>
<p><i>DOB:</i> 05/31/2017 <i>Sex:</i> Stallion <i>Breed:</i> Quarter Horse</p>	
<p><i>Sire:</i> JAZ POCO GOLDUN BLUE</p> <p><i>Reg:</i> 3275428</p> <p><i>Microchip:</i></p>	<p><i>Dam:</i> WHIZZIN LENA</p> <p><i>Reg:</i> 3562722</p> <p><i>Microchip:</i></p>

RESULT

INTERPRETATION

<p>Equine Juvenile Spinocerebellar Ataxia</p>	<p>N/N</p>
--	-------------------

Normal. No copies of the allele associated with equine juvenile spinocerebellar ataxia (EJSCA) detected.

EQUINE DISEASE TEST REPORT

Provided Information:		Case:	NQ75759
Name:	SAGEBRUSH DRIFT JW	Date Received:	19-Nov-2021
Registration:	AQHA Pending	Report Issue Date:	17-Jun-2025
		Report ID:	1902-6761-2161-2031
		Reissue of:	3170-9572-6814-3137
		Verify report at vgl.ucdavis.edu/verify	
DOB: 05/31/2021 Sex: Mare Breed: Quarter Horse			
Sire:	WALTER O RIELLY	Dam:	ANGEL LACE REED JW
Reg:	4343282	Reg:	5629044
Microchip:		Microchip:	

RESULT

INTERPRETATION

Glycogen Branching Enzyme Deficiency (GBED)	N/G
Myosin-Heavy Chain Myopathy (MYHM)	N/N

Carrier. One copy of the GBED allele detected.

Normal. No copies of the MYHM allele detected. Horse does not have increased susceptibility for immune mediated myositis or nonexertional rhabdomyolysis caused by the MYHM allele.

EQUINE JUVENILE SPINOCEREBELLAR ATAXIA TEST REPORT

<p><i>Provided Information:</i></p> <p><i>Name:</i> SAGEBRUSH DRIFT JW</p> <p><i>Registration:</i> AQHA Pending</p>	<p><i>Case:</i> NQ75759</p> <p><i>Date Received:</i> 19-Nov-2021</p> <p><i>Report Issue Date:</i> 17-Jun-2025</p> <p><i>Report ID:</i> 3227-8523-8019-8153</p> <p style="text-align: center; font-size: small;">Verify report at vgl.ucdavis.edu/verify</p>
<p><i>DOB:</i> 05/31/2021 <i>Sex:</i> Mare <i>Breed:</i> Quarter Horse</p>	
<p><i>Sire:</i> WALTER O RIELLY</p> <p><i>Reg:</i> 4343282</p> <p><i>Microchip:</i></p>	<p><i>Dam:</i> ANGEL LACE REED JW</p> <p><i>Reg:</i> 5629044</p> <p><i>Microchip:</i></p>

RESULT

INTERPRETATION

<p>Equine Juvenile Spinocerebellar Ataxia</p>	<p>N/N</p>
--	-------------------

Normal. No copies of the allele associated with equine juvenile spinocerebellar ataxia (EJSCA) detected.

UNIVERSITY OF CALIFORNIA, DAVIS

BERKELEY • DAVIS • IRVINE • LOS ANGELES • MERCED • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



SANTA BARBARA • SANTA CRUZ

VETERINARY GENETICS LABORATORY
SCHOOL OF VETERINARY MEDICINE
ONE SHIELDS AVENUE
DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211
FAX: (530) 752-3556

AQHA GENETIC DISEASE PANEL TEST RESULTS

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001	Case: QHA192970 Date Received: 11-May-2015 Print Date: 15-May-2015 Report ID: 9633-4604-1417-2011 Verify report at www.vgl.ucdavis.edu/myvg/verify.html
Horse: WALTER O RIELLY Reg: 4343282 YOB: 2000 Sex: Stallion Breed: Quarter Horse Alt. ID: 5067985	
Sire: BRADYWOOD Reg: 3190953 Dam: LACYS KEEPSAKE Reg: 3169660	

GBED	N/N
HERDA	N/N
HYPP	N/N
MH	N/N
PSSM1	N/N

N/N - Normal - Does not possess the disease-causing GBED gene

N/N - Normal - horse does not have the HERDA gene

N/N - Normal - Does not possess the disease-causing HYPP gene

N/N - Normal - horse does not have the MH gene

N/N - Normal - horse does not have the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota.
HERDA testing performed under a license agreement with the University of California, Davis.
PSSM1 testing performed under a license agreement with the American Quarter Horse Association.

Malignant Hyperthermia (MH) is an inherited disease in which affected horses can be triggered by halogenated anesthetics, succinylcholine, stress, or excitement, which can induce a hyper-metabolic state characterized by symptoms including muscle contracture, elevated temperature, and an irregular heart rhythm. **MH is a dominant trait, and carriers (N/MH) will be afflicted if undergoing surgery or extreme stress. It is highly recommended NOT to breed a carrier.**

Polysaccharide Storage Myopathy (PSSM1) is a glycogen storage disease that results in the accumulation of abnormal complex sugars in muscle cells, which can lead to muscle pain, weakness, and reluctance to move. **PSSM1 is a dominant trait but carriers (N/PSSM1) can be managed with proper diet and exercise. It is highly recommended NOT to breed a carrier.**

Equine Juvenile Spinocerebellar Ataxia (EJSCA) is an inherited neurologic disease that causes ataxia. Affected foals develop ataxia, or incoordination, between 1 and 4 weeks of age. The disorder progresses within a few days until affected foals are unable to stand without assistance. **EJSCA is a recessive trait and only horses that inherit both recessive genes from each parent (JSA/JSA) will be afflicted. Carriers (N/JSA) and non-carriers (N/N) will have no problems in their lives as they will NOT be afflicted at all and they will be able to perform all performance activities. If deciding to breed a carrier (N/JSA) it is highly advised to not breed to another carrier to avoid producing afflicted offspring.**

Angel Lace Reed JW (AQHA #5629044)

2014 Bay Mare

GBED Status N/G
HERDA Status N/N
HYPP Status N/N
MYHM Status N/N
MH Status N/N
PSSM1 Status N/N
EJSCA Status N/N

Carries one copy of the GBED gene. If breeding mare, breed to a N/N stallion.



VETERINARY GENETICS LABORATORY
 SCHOOL OF VETERINARY MEDICINE
 ONE SHIELDS AVENUE
 DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211
 FAX: (530) 752-3556

AQHA GENETIC DISEASE PANEL TEST RESULTS

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001	Case: QHA192969 Date Received: 11-May-2015 Print Date: 15-May-2015 Report ID: 4254-4818-1165-7122 Verify report at www.vgl.ucdavis.edu/myvgl/verify.html
Horse: JK JAY REED Reg: 3516678 YOB: 1996 Sex: Stallion Breed: Quarter Horse Alt. ID: 4093897	
Sire: SHADOW RIDIN PINE Reg: 3141930 Dam: CHRISTINE NAUGHER Reg: 2246375	

GBED	N/G	N/G - Carrier - Heterozygous (one normal and one GBED gene)
HERDA	N/N	N/N - Normal - horse does not have the HERDA gene
HYPP	N/N	N/N - Normal - Does not possess the disease-causing HYPP gene
MH	N/N	N/N - Normal - horse does not have the MH gene
PSSM1	N/N	N/N - Normal - horse does not have the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota.

HERDA testing performed under a license agreement with the University of California, Davis.

PSSM1 testing performed under a license agreement with the American Quarter Horse Association.



VETERINARY GENETICS LABORATORY
 SCHOOL OF VETERINARY MEDICINE
 ONE SHIELDS AVENUE
 DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211
 FAX: (530) 752-3556

AQHA GENETIC DISEASE PANEL TEST RESULTS

AMERICAN QUARTER HORSE ASSOCIATION P.O. BOX 200 AMARILLO, TX 79168-0001	Case: QHA199369 Date Received: 06-Jul-2015 Print Date: 10-Jul-2015 Report ID: 5543-8969-7661-7113 Verify report at www.vgl.ucdavis.edu/myvgl/verify.html
---	---

Horse: PEPONITA LACEYED JW YOB: 2008 Sex: Mare Breed: Quarter Horse Alt. ID: 5968756	Reg: 5078116
Sire: MR SALTY PEPONITA Dam: BP PRINCESS LACE	Reg: 1791561 Reg: 3317976

GBED	N/N	N/N - Normal - Does not possess the disease-causing GBED gene
HERDA	N/N	N/N - Normal - horse does not have the HERDA gene
HYPP	N/N	N/N - Normal - Does not possess the disease-causing HYPP gene
MH	N/N	N/N - Normal - horse does not have the MH gene
PSSM1	N/N	N/N - Normal - horse does not have the PSSM1 gene

GBED - Glycogen Branching Enzyme Deficiency. Fatal disease of newborn foals caused by defect in glycogen storage. Affects heart and skeletal muscles and brain. Inherited as recessive disease.

HERDA - Hereditary Equine Regional Dermal Asthenia. Skin disease characterized by hyperextensible skin, scarring, and severe lesions along the back of affected horses. Typical onset is around 2 years of age. Inherited as a recessive disease.

HYPP - Hyperkalemic Periodic Paralysis. Muscle disease caused by defect in sodium channel gene that causes involuntary muscle contraction and increased level of potassium in blood. Inherited as dominant disease. Two copies of defective gene produce more severe signs than one copy.

MH - Malignant Hyperthermia. Rare but life-threatening skeletal muscle disease triggered by exposure to volatile anesthetics (halothane), depolarizing muscle relaxants (succinylcholine), and stress. Presumed inheritance as dominant disease.

PSSM1 - Polysaccharide Storage Myopathy Type 1. Muscle disease characterized by accumulation of abnormal complex sugars in skeletal muscles. Signs include muscle pain, stiffness, skin twitching, sweating, weakness and reluctance to move. Inherited as a dominant disease.

GBED testing performed under a license agreement with the University of Minnesota.
 HERDA testing performed under a license agreement with the University of California, Davis.
 PSSM1 testing performed under a license agreement with the American Quarter Horse Association.



VETERINARY GENETICS LABORATORY
SCHOOL OF VETERINARY MEDICINE
ONE SHIELDS AVENUE
DAVIS, CALIFORNIA 95616-8744

TELEPHONE: (530) 752-2211
FAX: (530) 752-3556

GBED REPORT

JODIE WORONIECKI 7075 28TH ST. HEBRON, ND 58638		Case: NQ26315 Date: 10-Aug-2015 Print Date: 02-Nov-2015 Report ID: 2331-5588-8431-7168 Verify report at www.vgl.ucdavis.edu/myvgl/verify.html
<i>Horse:</i> ANGEL LACE REED JW <i>DOB:</i> 05/16/2014 <i>Sex:</i> Mare <i>Breed:</i> Quarter Horse		<i>Reg:</i> 5629044
<i>Sire:</i> JK JAY REED <i>Dam:</i> PEPONITA LACEYED JW		<i>Reg:</i> 3516678 <i>Reg:</i> 5078116

GBED Test Result

N/G

Result Codes:

- G/G Affected - Homozygous for GBED (two copies of the GBED gene).
 N/G Carrier - Heterozygous (one normal and one GBED gene).
 N/N Normal - Does not possess the disease-causing GBED gene.

The condition is inherited as a recessive trait. This means that breedings between two carrier (N/G) horses have a 25% chance of producing an affected foal (G/G). Affected foals usually die at a young age or will need to be euthanized due to weakness. Breedings between carrier and normal (N/N) horses produce only normal foals but 50% of these are expected to be carriers.